


Protective tube: black PCV, 5.0mm diameter, 0.5mm thickness

All wires: FLRY-B 0.35 mm² copper cable, length ~0.19 meters




Programming interface cable (P/N: 02000051)

To use with: P145 U245 (P/N: 12xxxxxx 13xxxxxx 23xxxxxx 24xxxxxx 26xxxxxx)

rev01


Protective tube: black PCV, 5.0mm diameter, 0.5mm thickness

All wires: FLRY-B 0.35 mm² copper cable, length ~0.19 meters




Programming interface cable (P/N: 02000052)
To use with: **U245 (P/N: 25xxxxxx)**

rev01




Programming interface cable (P/N: 02000053)
To use with: **P177 (P/N: 11xxxxxx)**

rev00




Programming interface cable (P/N: 02000054)
To use with: **U277 (P/N: 32xxxxxx)**

rev00



Programming interface cable (P/N: 02000067)
 To use with: **U279 (P/N: 94xxxxxx)**

rev00




Programming interface cable (P/N: 02000057)

To use with: U122 U322 U333 (P/N: 20xxxxxxx 27xxxxxxx 38xxxxxxx 39xxxxxxx)

rev00

Protective tube: black PCV, 5.0mm diameter, 0.5mm thickness

All wires: FLRY-B 0.35 mm² copper cable, length ~0.19 meters




Programming interface cable (P/N: 02000057)
To use with: **U335**

rev00

Protective tube: black PCV, 5.0mm diameter, 0.5mm thickness

All wires: FLRY-B 0.35 mm² copper cable, length ~0.19 meters




Programming interface cable (P/N: 02000058)
To use with: **U193** (P/N: 21xxxxxx 22xxxxxx)

rev01

Protective tube: black PCV, 5.0mm diameter, 0.5mm thickness

All wires: FLRY-B 0.35 mm² copper cable, length ~0.19 meters




Programming interface cable (P/N: 02000059)

To use with: **U193 (P/N: 29xxxxxx)**

rev01

Protective tube: black PCV, 5.0mm diameter, 0.5mm thickness


All wires: FLRY-B 0.35 mm² copper cable, length ~0.19 meters



Programming interface cable (P/N: 02000058)


To use with: **U195 (P/N: 616Cxxxx)**

rev01




Programming interface cable (P/N: 02000060)
To use with: **U355 (P/N: 28xxxxxx)**

rev00




Programming interface cable (P/N: 02000061)
To use with: **U355 (P/N: 30xxxxxx)**

rev00



Programming interface cable (P/N: 02000062)
To use with: **U445 (P/N: 35xxxxxx)**

rev00




Programming interface cable (P/N: 02000063)
To use with: **U445 (P/N: 33xxxxxx 34xxxxxx)**

rev00

Protective tube: black PCV, 5.0mm diameter, 0.5mm thickness


All wires: FLRY-B 0.35 mm² copper cable, length ~0.19 meters



Programming interface cable (P/N: 02000064)

To use with: **U245 5V (P/N: 37xxxxxx)**

rev01



Programming interface cable (02000065)
To use with: **X022 (P/N: 0055xx00)**

rev00